

FIG. 1




FIG. 2




FIG. 3





FIG. 4

**FIG. 5**




FIG. 6A




FIG. 6B




FIG. 7

9/61




FIG. 8

10/61




FIG. 9A





FIG. 9B

**FIG. 10A**





FIG. 10B

**FIG. 10C**




FIG. 11A




FIG. 11B

17/61




FIG. 11C




FIG. 11D




FIG. 11E

Client Manager - Microsoft Internet Explorer

Client Detail

Client Name*: TestClient

Email*: testcl@openreach.com

Password*: *****

Verify password*: *****

Gateway Groups

Select All

DavesGroup

OpenReach.Ohuajie

OpenReach.BuckDiego

OpenReach.BuckVegas

Actions

OK

Cancel

11F10

11F12

11F14

11F16

11F20

11F24

11F22

11F30

11F32

11F00

FIG. 11F




FIG. 11G

1210	{	<local computer information>	
		computer_name	="org5"
		domain_name	="bugwheat2"
		virtualip_address	="10.0.11.130"
		visibleip_address	="208.185.39.2"
		firewall_in_place	="no"
		network_config	="Inline"
		dns_from_dhcp	="no"
		dns_primary	="10.10.10.2"
		dns_secondary	="10.10.10.3"
1212	{	ProxyIp	="208.185.40.2"
		</local computer information>	
		<local interface information>	
		name	="eth0"
		mac_layer_address	="00:90:27:EE:02:3B"
		local_IP_address	="208.185.39.2"
		gateway	="208.185.39.1"
1214	{	subnet_mask	="255.255.255.0"
		dhcp	="none"
		</local interface information>	
		<local LAN Information><address range>	
		startip_address_range	="208.185.49.1"
1216	{	endip_address_range	="208.185.49.255"
		type	="included"
		gateway	=""
		</address range> </local LAN Information>	
1218	{	<cryptographic key>	
		kind	="PublicKey"
		type	="NOC's_Primary_Key"
		format	="RSA"
		encryption	="3DES"
		modulus	="0x ... 01"
		modulus_bits	="1024"
1218	{	public_exp	="0x03"
		</cryptographic key>	
		<firewall rule>	
		protocol="tcp"	
		direction="in"	
		src_ip_mask="\$any"	
		src_port="1024:65535"	
		dst_ip_mask="\$1"	
1218	{	dst_port="21"	
		action="ACCEPT"	
		rule_number="1"	
		</firewall rule>	

FIG. 12




FIG. 13




FIG. 14




FIG. 15A




FIG. 15B




FIG. 15C




FIG. 16A

1600B




FIG. 16B




FIG. 17




FIG. 18





FIG. 19

**FIG. 20**




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25

Order OpenReach TrueSpan Services - Netscape

File Edit View Go Communicator Help

Back Forward Reload Home Search Netscape Print Security Stop

Bookmarks Location [http://208.171.204.133/openreach/1_prof1_form.asp](#) What's Related

OpenReach References [Away's Stuff](#) [Stock Stuff](#) [Singular](#) [Yahoo! Finance](#) [Deck Check Dem](#) [Footprint Blog](#)

Partner Programs [New Home](#) Promotions & Events TrueSpan Login

Order Now!

Note: You are under no obligation to purchase by submitting this form.
*When you order 9:00am-5:00pm EST, Monday through Friday. Otherwise, you will be contacted by 11:00am EST the next business day.

2610

* Company name:

* First name:

* Last name:

* Job Title:

* Address:

Address 2:

* City:

* State:

* Postal code:

* Country: (Choose One)

* Phone:

Phone Extension:

* Email:

2615

2620

2625

2630

2635

2640

2645

2650

I would like to receive periodic updates and promotional information from OpenReach via Email: ☐ Yes ☐ No

* = required fields

Order Now! **Clear**

Document Done

FIG. 26



FIG. 27




FIG. 28

Navigation: Home, Site, Services, Select Activation Solution, Review And Place Your Order, Enter Your Card Info, Document Done

Configuration for site: Home

Country: United States

Contact: Somebody

Phone #: 123 456 7890

Email: somebody@company.com

Activation Plan	Description	Price	Service Charge
<input checked="" type="radio"/> Turnkey Activation	Purchase a pre-configured computer/server to be used as the TrueSpan VPN Gateway. In addition, our network engineers will configure equipment and walk you through the installation.	\$1,299	\$99/Mo
<input type="radio"/> Remote Activation	Select a PC Dell Optiplex PC	\$250	\$99/Mo
<input type="radio"/> Self Activation	Our network engineers will configure equipment and walk you through the installation	\$0	\$99/Mo
<input type="radio"/> VAR Support	Complete the service installation yourself using the Openreach support system. Can either be provided by a certified VAR Partner provided by OpenReach or a VAR Partner of your choice	Varies	\$99/Mo

Select a Pricing Plan: Monthly

Your Price depends on your bandwidth. Select your Internet Access type: 500 Kbps

Total: Price \$1,299 Service Charge \$99/Mo

Buttons: Recalculate, Reset, Help, Continue

FIG. 29




FIG. 30

GeneralNetworkFirewallVPNACLRoutesDHCP

3105Identify and Location

3110TrueSpan Gateway Name*NYC

3111Street Address*10 Madison AvenueCity*New York

3112State/Province*New YorkPostal Code (if US)10012

Country*UNITED STATES

TimeZone*(GMT-05:00) Eastern Time (US & Canada)

3113Configuration

3121Peer Configuration

3120Selected Configuration*Inline

3124Billing Period*Monthly

3122Inline Configuration

3123Speed up to500 Kbps

3125Promotion Code

3130Maintenance

3140Preferred gateway maintenance time: Day*SundayHour*10:00AM

3140Allow automatic reboot after maintenance.

3133Actions

3150OK3160Cancel3170Apply3180Help

PCServerTrueSpanFirewallIADInternet

PCServerPCPCInternet

FIG. 31




FIG. 32




FIG. 33




FIG. 34





FIG. 35

**FIG. 36**





FIG. 37

**FIG. 38**





FIG. 39


**FIG. 40**

```

4105 ~<monitoring_information>
4110 ~   name="org-name"
4115 ~   vip="virtual IP of org"
4120 ~   ctime="system up time in seconds"
4125 ~</tunnel>
4130 ~   vip="vip of buddy"
4135 ~   age="age,uptime"
4140 ~   <bandwidth>
4145 ~     data="tod,interval,tx_bytes,tx_packets"
4150 ~   </bandwidth>
4155 ~   <latency>
4160 ~     data="tod,interval,min,max,avg"
4165 ~   </latency>
4170 ~   ...
4175 ~   </tunnel>
4180 ~   <interface>
4185 ~     name="eth0" | "tcpt0" | "ipsec0"
4190 ~     <bandwidth>
4195 ~       data="tod,interval,tx_bytes,tx_pkts,tx_errs,tx_dropped,
4200 ~         rx_bytes,rx_pkts,rx_errs,rx_dropped"
4205 ~     </bandwidth>
4210 ~   ...

```

FIG. 41






FIG. 43




FIG. 44

58/61




FIG. 45




FIG. 46




FIG. 47




FIG. 48